











- Exploring the Effect of Image Enhancement Techniques on COVID-19 Detection using Chest X-ray Images.
- [12] Sanjay H S, Basavraj V Hiremath, Prithvi B S, P A Dinesh, "Machine Learning Based Assessment of Auditory Threshold Perception in Human Beings", S N Applied sciences, Vol 2(142), 1-10, (2020) (DOI: 10.1007/s42452-019-1929-7)
- [13] Gao Huang and Zhuang Liu and Laurens van der Maaten and Kilian Q. Weinberger, "Densely Connected Convolutional Networks", arXiv:1608.06993v5 [cs.CV], 28 January 2018
- [14] Andrew G. Howard and Menglong Zhu and Bo Chen and Dmitry Kalenichenko and Weijun Wang and Tobias Weyand and Marco Andreetto and Hartwig Adam, "MobileNets: Efficient Convolutional Neural Networks for Mobile Vision Applications", arXiv:1704.04861v1 [cs.CV], 17 Apr 2017.
- [15] Kaiming He, Xiangyu Zhang, Shaoqing Ren and Jian Sun, "Deep Residual Learning for Image Recognition", arXiv:1512.03385v1 [cs.CV], 10 Dec 2015
- [16] Christian Szegedy, Vincent Vanhoucke, Sergey Ioffe, Jonathon Shlens and Zbigniew Wojna, "Rethinking the Inception Architecture for Computer Vision", arXiv:1512.00567v3 [cs.CV], 11 Dec 2015
- [17] François Chollet, "Xception: Deep Learning with Depthwise Separable Convolutions", arXiv:1610.02357v3 [cs.CV], 4 Apr 2017

**Creative Commons Attribution License 4.0 (Attribution 4.0 International, CC BY 4.0)**

This article is published under the terms of the Creative Commons Attribution License 4.0

[https://creativecommons.org/licenses/by/4.0/deed.en\\_US](https://creativecommons.org/licenses/by/4.0/deed.en_US)